
# PRP SEATS REAR SEAT MOUNT


## **07+ JEEP WRANGLER JKU & JLU**




#### INSTALLATION INSTRUCTIONS




## **PARTS INCLUDED**




## **SEAT TAB DIMENSIONS**




- 1) Start by removing the stock rear bench from the vehicle. Use a 40mm Socket to remove the 8x Bolts that connect the seat to the floor.
- 2) Install the rear PRP Brackets into the vehicle. Use the same factory bolts and a 40mm Socket to install.








3) Install the two front PRP Brackets using the same factory bolts and a 40mm Socket.








4) Install the C80-06 Center PRP Bracket using the supplied hardware.






5) Begin install of angle brackets onto the mount. NOTE - These will be oriented differently for Bucket Seats or Bench installation. See next 2 pages for exact orientation.



### **DUAL BUCKET SEAT INSTALLATION**

6a) Install C80-01 and C80-02 angle brackets onto the mount using the supplied 1/4"-20 x 1" bolts, nuts, and washers.




7a) Install the PRP Seats by lining up the tabs on the seats to the holes on the angle brackets. Use the supplied 3/8"- $16 \times 1$ " bolts, nuts, and washers.

NOTE - The seat tabs may not always perfetcly line up. So start by threading all the bolts in hand tight first, then go back and tighten them all down all the way.



### REAR BENCH SEAT INSTALLATION

6b) Install C80-01 angle brackets onto the mount using the supplied 1/4"-20 x 1" bolts, nuts, and washers. Also install 4x bolts into the top of C80-06 to secure it.



7b) Install the PRP Bench by lining up the tabs on the bench to the holes on the angle brackets. Use the supplied 3/8"- $16 \times 1$ " bolts, nuts, and washers.

NOTE - The seat tabs may not always perfetcly line up. So start by threading all the bolts in hand tight first, then go back and tighten them all down all the way.

NOTE - You will not need the C80-02 for bench installs.

